



Lilium

Classificazione energetica Energy label

Servizio Services	GAS	Modelli mm Models inch	Tensione Tension	Consumo kWh/annuo kWh/Year consumption	Classe energetica Energy label	Classe di temperatura Temperature class
TN						
PASTICCERIA PASTRY	R452 A	L 960 VBD 37.79"	230V/1/50Hz	6840		M1
PASTICCERIA PASTRY	R452 A	L 960 VBD-P 37.79"	230V/1/50Hz	7916		M1
PASTICCERIA PASTRY	R452 A	L 960 VBD-R 37.79"	230V/1/50Hz	6635		M1
PASTICCERIA PASTRY	R452 A	L 960 VAD 37.79"	230V/1/50Hz	7753		M1
PASTICCERIA PASTRY	R452 A	L 960 VAD-P 37.79"	230V/1/50Hz	6684		M1
PASTICCERIA PASTRY	R452 A	L 960 VAD-R 37.79"	230V/1/50Hz	6483		M1
PASTICCERIA PASTRY	R452 A	L 1430-VBD 56.29"	230V/1/50Hz	8161		M1
PASTICCERIA PASTRY	R452 A	L 1430-VBD-P 56.29"	230V/1/50Hz	9519		M1
PASTICCERIA PASTRY	R452 A	L 1430-VBD-R 56.29"	230V/1/50Hz	7916		M1
PASTICCERIA PASTRY	R452 A	L 1430-VAD 56.29"	230V/1/50Hz	7972		M1
PASTICCERIA PASTRY	R452 A	L 1430-VAD-P 56.29"	230V/1/50Hz	9321		M1
PASTICCERIA PASTRY	R452 A	L 1430-VAD-R 56.29"	230V/1/50Hz	7732		M1
PASTICCERIA PASTRY	R290	L 960 VBD 37.79"	230V/1/50Hz	5725		M1
PASTICCERIA PASTRY	R290	L 960 VBD-P 37.79"	230V/1/50Hz	6800		M1
PASTICCERIA PASTRY	R290	L 960 VAD 37.79"	230V/1/50Hz	5590		M1
PASTICCERIA PASTRY	R290	L 960 VAD-P 37.79"	230V/1/50Hz	6658		M1
PASTICCERIA PASTRY	R290	L 1430-VBD 56.29"	230V/1/50Hz	6859		M1
PASTICCERIA PASTRY	R290	L 1430-VBD-P 56.29"	230V/1/50Hz	8217		M1

Legenda VBD=vetri bassi dritti

VAD=vetri alti dritti

R=motore remoto

P=con vaschetta

Caption VBD=high straight glasses

VAD=low straight glasses

R=remote condensing unit

P=with pans

rev. 06.2022



Lilium

Classificazione energetica
Energy label

Servizio Services	GAS	Modelli mm Models inch	Tensione Tension	Consumo kWh/annuo kWh/Year consumption	Classe energetica Energy label	Classe di temperatura Temperature class
PASTICCERIA PASTRY	R290	L 1430-VAD 56.29"	230V/1/50Hz	6697		M1
PASTICCERIA PASTRY	R290	L 1430-VAD-P 56.29"	230V/1/50Hz	8046		M1
GRAB&GO						
PASTICCERIA PASTRY	R452 A	L 960 VBD 37.79"	230V/1/50Hz	6041		M2
PASTICCERIA PASTRY	R452 A	L 960 VBD-P 37.79"	230V/1/50Hz	7355		M2
PASTICCERIA PASTRY	R452 A	L 960 VBD-R 37.79"	230V/1/50Hz	5860		M2
PASTICCERIA PASTRY	R452 A	L 960 VAD 37.79"	230V/1/50Hz	8358		M2
PASTICCERIA PASTRY	R452 A	L 1430-VBD 56.29"	230V/1/50Hz	7358		M2
PASTICCERIA PASTRY	R452 A	L 1430-VBD-P 56.29"	230V/1/50Hz	8795		M2
PASTICCERIA PASTRY	R452 A	L 1430-VBD-R 56.29"	230V/1/50Hz	7138		M2
PASTICCERIA PASTRY	R452 A	L 1430-VAD 56.29"	230V/1/50Hz	9995		M2
PASTICCERIA PASTRY	R290	L 960 VBD 37.79"	230V/1/50Hz	3995		M2
PASTICCERIA PASTRY	R290	L 960 VBD-P 37.79"	230V/1/50Hz	5309		M2
PASTICCERIA PASTRY	R290	L 960 VAD 37.79"	230V/1/50Hz	5472		M2
PASTICCERIA PASTRY	R290	L 960 VAD-P 37.79"	230V/1/50Hz	7399		M2
PASTICCERIA PASTRY	R290	L 1430-VBD 56.29"	230V/1/50Hz	4663		M2
PASTICCERIA PASTRY	R290	L 1430-VBD-P 56.29"	230V/1/50Hz	6327		M2
PASTICCERIA PASTRY	R290	L 1430-VAD 56.29"	230V/1/50Hz	6544		M2
PASTICCERIA PASTRY	R290	L 1430-VAD-P 56.29"	230V/1/50Hz	8848		M2

Legenda VBD=vetri bassi dritti

VAD=vetri alti dritti

R=motore remoto

P=con vaschetta

Caption VBD=high straight glasses

VAD=low straight glasses

R=remote condensing unit

P=with pans

rev. 06.2022



Lilium

Classificazione energetica
Energy label

Servizio Services	GAS	Modelli mm Models inch	Tensione Tension	Consumo kWh/annuo kWh/Year consumption	Classe energetica Energy label	Classe di temperatura Temperature class
COMBI TN	R452 A	L 960 VAD 37.79"	230V/1/50Hz	4882		M2
COMBI TN	R452 A	L 960 VAD 37.79"	230V/1/50Hz	5445		M2
COMBI TN	R452 A	L 960 VAD-R 37.79"	230V/1/50Hz	4736		M2
COMBI TN	R452 A	L 1430-VAD 56.29"	230V/1/50Hz	5790		M2
COMBI TN	R452 A	L 1430-VAD 56.29"	230V/1/50Hz	6719		M2
COMBI TN	R452 A	L 1430-VAD-R 56.29"	230V/1/50Hz	5617		M2
COMBI TN	R290	L 960 VAD 37.79"	230V/1/50Hz	4082		M2
COMBI TN	R290	L 960 VAD 37.79"	230V/1/50Hz	4864		M2
COMBI TN	R290	L 1430-VAD 56.29"	230V/1/50Hz	4869		M2
COMBI TN	R290	L 1430-VAD 56.29"	230V/1/50Hz	5797		M2

Legenda VAD=vetri alti dritti

Caption VAD=low straight glasses

R=motore remoto

R=remote condensing unit

TN=temperatura normale

TN=ambient

rev. 06.2022